### (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

# (19) World Intellectual Property Organization International Bureau



# 

# (43) International Publication Date 27 December 2001 (27.12.2001)

### **PCT**

# (10) International Publication Number WO 01/97630 A1

(51) International Patent Classification7:

A23K 1/18

(21) International Application Number: PCT/GB01/02760

(22) International Filing Date: 21 June 2001 (21.06.2001)

(25) Filing Language:

**English** 

(26) Publication Language:

English

(30) Priority Data: 0015440.1

23 June 2000 (23.06.2000) GB

- (71) Applicant (for all designated States except US): MARS UK LIMITED [GB/GB]; 3D Dundee Road, Slough, Berkshire SL1 4LG (GB).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): BRUCE, Jennifer, Susan [GB/GB]; Waltham Centre for Pet Nutrition, Waltham-on-the-Wolds, Leicestershire LE14 4RT (GB). BRADLEY, Richard, G. [GB/GB]; Waltham Centre for Pet Nutrition, Waltham-on-the-Wolds, Leicestershire LE14 4RT (GB). HALL, Simon, Reginald [GB/GB]; Waltham Centre for Pet Nutrition, Waltham-on-the-Wolds, Leicestershire LE14 4RT (GB).

- (74) Agents: CORNISH, Kristina, Victoria, Joy et al.; Kilburn & Strode, 20 Red Lion Street, London WC1R 4PJ (GB).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

#### Published

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

7630 A1

(54) Title: DIETARY REGIME FOR COMPANION ANIMALS

(57) Abstract: The present invention provides a dietary regime for a companion animal. The dietary regime comprises feeding the companion animal a food product which is designed for administration for a particular event. The present invention includes a sequence of products for feeding at prescribed times or in a prescribed order to accommodate a physiological need or modify a physiological response.

WO 01/97630 PCT/GB01/02760

### : DIETARY REGIME FOR COMPANION ANIMALS

The present invention provides a dietary regime for a companion animal. The dietary regime comprises feeding the companion animal a food product which is designed for administration for a particular event. The present invention includes a sequence of products for feeding at prescribed times or in a prescribed order to accommodate a physiological need or modify a physiological response.

5

25

It is a constant desideratum to determine novel feeding regimes and novel food combinations for companion animals. Such feeding regimes can contribute to overcoming feeding problems in fussy animals, unhealthy eating, lack of enjoyment of eating for the animals and lack of enjoyment or satisfaction experienced by the animal carer/owner.

Accordingly, a first aspect of the present invention provides a dietary regime for a companion animal. The dietary regime comprises feeding the companion animal a food product which is designed for administration for a particular event. The present invention also provides a sequence of products for feeding (or fed) at prescribed times or in a prescribed order that accommodate a physiological need or modify a physiological response. The first aspect of the invention may include a sequence of products for feeding (or fed) at prescribed times or in a prescribed order that accommodate a physiological need or modify a physiological response.

The dietary regime includes feeding the animal one or more food products at one or more times. The times may be in the same day, week or year.

The dietary regime according to the present invention enables the provision, to a companion animal, of meals specifically formulated to meet their macronutrient

10

15



preference for different events. A macronutrient preference, by companion animals, for different events, has been identified by the inventors and provides the technical basis for the present invention. In accordance with the findings for macronutrient preferences, the dietary regime of the present invention enhances the animal's enjoyment of the food and provides an increase (perceived or real) in enjoyment or satisfaction by the carer/owner of the companion animal.

In the dietary regime, the event may be a particular part of the day, a particular day of the week or a particular day of the year. Preferably, the event is a particular part of the day.

In accordance with typical feeding patterns for companion animals, food products are provided as meals in the morning and in the afternoon or evening. Additional food products may be provided in between, such as mid-morning, during the middle part of the day, mid-afternoon, or in the evening. Companion animals have, in accordance with the findings of the present invention, shown preferences for macronutrient content for such particular events. In addition, carers/owners of companion animals are able to easily identify suitable food products, according to the present invention by their labelling for administration for a particular event.

20

The invention includes any dietary regime or sequence of products fed at prescribed times or in a prescribed order that either accommodate a physiological need or modify a physiological response and/or are designed for administration for a particular event and may include:

25

- A breakfast food for administration as the first food of the day, containing an energy content and a macronutrient profile appropriate to the level of expected activity in the day.

15

20

25

- A dinner or supper food for administration as the last food of the day, with an energy content and macronutrient profile appropriate to a inactive or sleeping animal.
- A fibre-controlled diet for avoiding toileting during the night.
- Food for particular seasons, for example designed in relation to the nutritional needs of the skin and coat.

The companion animals of the present invention are, in particular, the domestic cat (Felis domesticus) or the domestic dog (Canis domesticus). Other companion animals include fish, birds and horses.

Different nutrient profiles of food (nutritional compositions) include different contents of one or more of fat, protein, carbohydrate, calorie density, fibre, vitamins or minerals. The composition of one pet food product may have a higher or lower content of one or more of these nutritional components compared to the composition of another pet food product.

The dietary regime of the present invention preferably comprises one pet food product for feeding as the morning meal and one pet food product for feeding as the afternoon/evening meal. Additional snacks for in between meals or additions to the main meal (e.g. kibbles) may be included.

One macronutrient preference which has been shown by companion animals is for an increase in the total fat content of the afternoon/evening meal compared to the morning meal. Accordingly, the dietary regime of the invention preferably includes one of the pet food products having a higher content of fat than one other pet food product in a daily regime. The product with the higher fat content is preferably fed to the companion animal as the afternoon/evening meal.

Another macronutrient preference has been shown by companion animals. It is a composition having a higher protein content for the morning food compared to the afternoon/evening meal. Accordingly, the dietary regime of the present invention may include one pet food product having a higher content of protein than one other pet food product in a daily regime. The product with the higher protein content is preferably fed to the pet animal as the main morning meal.

A preferred feature of the present invention results from a demonstrated increase in relative intake for the higher fat product in the afternoon/evening meal compared with products with a lower fat content. The higher fat content is preferably in replacement of protein or in replacement of carbohydrate.

In accordance with the guidelines for complete nutritional adequacy, the following are preferred limits for all foods of the present invention; no less than 20% of the calories should be from fat; no less than 25% of the calories should come from protein; no food should contain more than 75% of calories derived from fat. Accordingly, the preferred food should contain between 20% and 75% of calories from fat.

20

25

15

Further preferences for the food of the dietary regime of the present invention are that the fat content of the afternoon/evening food should be higher than the fat content of the morning food by at least 5% of the total calorie content of the food. Further preferences are that the calories contributed by the fat content of the food for the morning should be between 20% and 70% of the total calorie content of the food and the fat content of the food for the afternoon/evening should contribute between 25% and 75% of the total calorie content of the food. The food fed in the afternoon/evening should be higher in fat content than the morning food by at least

5% of the total calorific value of the product, preferably by 10%, more preferably by 15%.

Each pet food product may be a dry, semi-moist or a moist (wet) product. Wet food includes food that is usually sold in tins and has a moisture content of 70% to 90%. Dry food includes food having a similar composition but with 5% to 15% moisture, often presented as small biscuit – like kibbles. Semi-moist food includes food having a moisture content of from above 15% up to 70%. The amount of moisture in any product may influence the type of packaging that can be used or is required.

10

15

20

25

5

The pet food products as part of the dietary regime according to the present invention encompass any product that a pet consumes in its diet. Thus, the invention covers the standard food products as well as pet food snacks (for example snack bars, cereal bars, snacks, biscuits and sweet products). The food product may be a cooked product. It may incorporate meat or animal-derived material (such as beef, chicken, turkey, lamb, fish, blood plasma, marrowbone, etc or one or more thereof). The product alternative may be meat-free (preferably including a meat substitute such as soya, maize gluten or a soya product) in order to provide a protein source. The product may contain additional protein sources such as soya protein concentrate, milk, protein, gluten, etc. The product may also contain a starch source such as one or more grains (e.g. wheat, corn, rice, oats, barley, etc) or may be starch-free. The product may incorporate or be a gelatinised starch matrix. The product may incorporate one or more types of fibre such as sugar beet pulp, chicory pulp, chicory, coconut endosperm fibre, wheat fibre etc. The content of the product/ingredients contributes towards the macronutrient profile of the food. Thus, food products which according to the present invention provide a higher fat content will be designed accordingly. Dairy products, such as those incorporating a cream or a cheese sauce, may be suitable. The present invention is particularly relevant for

a pet food product as described herein which is sold as a pet food, in particular a pet food for a dog or a cat.

A second aspect of the present invention provides a pet food product which is part of a dietary regime according to the first aspect of the invention.

Preferred features of the first aspect of the invention also apply to the second aspect.

A third aspect of the present invention provides for the use of a pet food product according to the second aspect of the invention, in a dietary regime.

Preferred features of the first and second aspects also apply to the third aspect.

A fourth aspect of the invention provides for the use of ingredients in the manufacture of a pet food product for a dietary regime according to the first aspect of the invention.

Preferred features of the first to third aspects of the invention also apply to the fourth aspect.

20

25

15

Packaging of the products in the regime enables the regime to be labelled appropriately. The regime may include packs of food, individual or possibly combined (as a "multi-pack") for periods of time such as one week, or even longer. Accordingly, such a "multi-pack" may comprise seven individual food packs, each one for a day of the week. Alternatively, they may include weekend multipacks, or holiday multipacks. The individual food packs may be identical or different.

The foodstuff is preferably packaged. In this way, the consumer is able to identify, from the packaging, the ingredients in the foodstuff and confirm that it is suitable for the particular pet in question. The packaging may be metal (usually in the form of a tin or flexifoil), plastic (usually in the form of a pouch or bottle), paper or card.

The amount of moisture in any product may influence the type of packaging, which can be used or is required.

The dietary regime according to the present invention provides benefits to the companion animal of increased acceptance (includes palatability), increased enjoyment in feeding and/or increase in enjoyment or satisfaction by the carer/owner of the animal.

The enjoyment of the animal and/or increase in acceptance/palatability can be determined, for example, by one or more of the following:

15

10

- An increase in the quantity of food consumed;
- A decrease in the frequency of refusals to eat over an extended period of time;
- An increase in enthusiasm during the meal as indicated by a reduction in the time taken to start a meal and/or an increase in the speed at which food is consumed;
- The animal chooses the food over another food;
  - The animal refuses other foods;

or by any other behaviour by the animal which is taken by the owner/carer to be an indication of enjoyment of the food, for example:

- The animal rubs around the owner /carer when serving the food.
- The animal is inactive/rests or sleeps after eating.
- The animal licks itself or washes after eating.

15

The invention is described with reference to the drawings, where:

Figure 1 shows average quantities consumed in the first 20 minutes of a meal in relation to wet diets that differ in terms of their protein and fat content for morning and afternoon meals.

Figure 2 shows average quantities consumed in the first 20 minutes of a meal in relation to wet diets that differ in terms of their content of protein fat and carbohydrate for morning and afternoon meals.

Figure 3 shows average quantities consumed of dry diets in a 60 minute morning meal and a 30 minute afternoon meal where the diets vary in their content of fat and carbohydrate.

The invention will now be described with reference to the following, non-limiting examples:

### **Examples**

Macronutrient energy content for all examples (and in accordance with the embodiments of the present invention) is determined by the calculations in Annex 1. The following data demonstrate the difference between morning and afternoon macronutrient preferences.

## Example 1: Studies with wet cat food diets of varying protein and fat contents

Diets were designed containing different levels of the macronutrients protein and fat. All diets were isocaloric and contained 3 different ratios of protein to fat calories i.e. 10%: 90%, 40%: 60% and 70%: 30% respectively (increasing in calories derived from protein). All 3 diets were fed in rotation for 30 days, i.e. each cat was fed one

15

25

diet per day; therefore each diet was experienced 10 times. Food was provided for 45 minutes in the morning, then the same diet was fed overnight.

Feeding data from the first 20 minutes of the morning meal and the first 20 minutes of the afternoon meal showed that in the morning, there was similar separation of 10%, 40% & 70% protein calorie diets. Overall, these data indicate that cats prefer diets containing higher protein in the morning.

In the afternoon meal, there was less preference for the 70% diet relative to 40% & 10% PER diets. Overall, these data indicate that cats preferred relatively lower protein (and hence higher fat) in the afternoon.

The average intake of each diet over the whole 30 days of the trial, for morning and afternoon meals, is shown in figure 1. The consumption of each product is expressed as a percentage of the total eaten within the all the meals in the morning or all the meals in the afternoon.

# Example 2: Studies with wet cat food diets of varying protein, fat and carbohydrate contents

Canned diets were designed that had the same base meat recipe, to which was added isocaloric amounts of protein, fat and carbohydrate. All 3 diets were fed in rotation for 30 days, i.e. each cat was fed one diet per day; therefore each diet was experienced 10 times. Food was provided for 45 minutes in the morning, then the same product was fed for 45 minutes in the afternoon.

Feeding data from the first 20 minutes of the morning meal and the first 20 minutes of the afternoon meal showed that in the morning, preference was for the products

10

15

supplemented with protein over the products supplemented with fat over the products supplemented with carbohydrate.

In the afternoon meal fat is significantly preferred over the other products. Overall these data, indicate that cats preferred higher fat (rather than protein or carbohydrate) in the afternoon.

The average intake of each diet over the whole 30 days of the trial, for morning and afternoon meals, is shown in figure 2. The consumption of each product is expressed as a percentage of the total eaten within the all the meals in the morning or all the meals in the afternoon.

Further data have been obtained using these same products under a different feeding regimen, i.e. a 45-minute meal in the morning followed by an overnight meal of the same product. Feeding data from the first 20 minutes of the morning meal and the first 20 minutes of the afternoon meal showed that the preference was clearly for fat in the afternoon. A preference is also shown for protein in the morning.

## Example 3: Studies with dry diets of various fat and carbohydrate contents

Five dry diets of approximately constant protein content, but varying in fat and carbohydrate content were fed in rotation for 5 days, i.e. each cat was fed one diet per day but different groups of cats were exposed to the diets in different orders. Food was provided for 60 minutes in the morning and then the same product was fed for 30 minutes in the afternoon.

25

The diets had fat contents of 21%, 16.5%, 12%, 10% and 9% on a dry matter basis, equivalent to fat energy contents of 44%, 37%, 28%, 25% and 23%.

In the morning meals there was little difference in the mean intakes of the high and low fat dry diets. However, in the afternoon meal, the average data showed a clear trend to higher intakes for the high fat products rather than the low fat products, see figure 3.

5

### Annex 1

Calculations for predicting the metabolisable energy (PME) of foods for companion animals.

10

These calculations use modified Atwater factors based on recommended texts e.g. Association of American Feed Control Officials, and species specific studies.

Cat Products:

15

Canned: (% Protein x 3.9) + (% Fat x 7.7) + (% NFE x 3.0) -5.0 = kcalPME/100g product

Dry: (% Protein x 3.5) + (% Fat x 8.5) + ((% NFE -% Crude Fibre) x 3.5) =  $\frac{1}{20}$  kcal PME/100g product

Dog Products

Canned and Dry: (% Protein x 3.5) + (% Fat x 8.5) + ((% NFE - %Crude Fibre) x (3.5) = kcal PME/100g product

NFE = Nitrogen Free Extract and is calculated by difference: 100 - (% Protein + % Fat + % Ash + % Moisture)

The % protein, fat, ash, moisture and/or crude fibre are determined in accordance with the Standard Proximate Analysis as set out in Pearson's Composition and Analysis of Foods, Ninth Edition (1991).

5

10

## Other Embodiments

It is to be understood that, while the invention has been described in conjunction with the detailed description thereof, the foregoing description is intended to illustrate and not limit the scope of the invention. Other aspects, advantages, and modifications of the invention are within the scope of the claims set forth below.

### **Claims**

- 1. A dietary regime for a companion animal, the dietary regime comprising feeding the companion animal a food product which is designed for administration for a particular event.
  - 2. A dietary regime as claimed in claim 1, wherein the event is one or more of a particular part of the day, a particular day of the week or a particular day of the year.

10

5

- 3. A dietary regime as claimed in claim 2, which comprises a food product which is designed for administration during the morning.
- 4. A dietary regime as claimed in claim 3, wherein the food product is a breakfast food.
  - 5. A dietary regime as claimed in claim 2, comprising a food product which is designed for administration during the middle part of the day.
- A dietary regime, as claimed in any one of claims 1 to 5, wherein the food product comprises fat at a proportion of between 20% and 70%.
  - 7. A dietary regime as claimed in claim 2, comprising a food product which is designed for administration during the afternoon.

25

8. A dietary regime as claimed in claim 2, comprising a food product which is designed for administration during the evening.

20

PCT/GB01/02760

- 9. A dietary regime, as claimed in any one of claims 1 to 8, wherein the food product comprises fat at a proportion of between 25% and 75%.
- 10. A dietary regime, as claimed in any one of claims 1 to 9, wherein a food product designed for administration during the afternoon or during the evening is higher in fat energy content by at least 5% in comparison to a food product in the regime designed for administration during the morning or during the middle part of the day.
- 10 11. A dietary regime as claimed in any one of claims 1 to 10, which comprises a snack food product for feeding between meals.
  - 12. A dietary regime as claimed in claim 11, wherein the snack is a morning, afternoon or evening snack food product.
  - 13. A pet food product which is part of a dietary regime, as claimed in any one of claims 1 to 12.
  - 14. The use of a pet food product as claimed in claim 13, in a dietary regime.
  - 15. The use of a pet food product as claimed in claim 13, for feeding at prescribed times or in a prescribed order to accommodate a physiological need or modify a physiological response.
- 25 16. Use of ingredients in the manufacture of a pet food product for a dietary regime, as claimed in any one of claims 1 to 13.
  - 17. A sequence of pet food products for feeding at prescribed times or in a

prescribed order to accommodate a physiological need or modify a physiological response.

- 18. A dietary regime substantially as hereinbefore described with reference to any one of the examples.
  - 19. A sequence of pet food products substantially as hereinbefore described with reference to any one of the examples.

Figure 1








Figure 2





Protein to Fat Energy Ratio

Figure 3



### INTERNATIONAL SEARCH REPORT

enti onal Application No PCT/GB 01/02760

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A23K1/18

According to International Patent Classification (IPC) or to both national classification and IPC

### B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A23K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, CAB Data, BIOSIS

C. DOCUM	ENTS CONSIDERED TO BE RELEVANT	
Category °	Citation of document, with Indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	D.R. FINCO ET AL.: "Food and water intake and urine composition in cats: Influence of continuous versus periodic feeding" AMERICAN JOURNAL OF VETERINARY RESEARCH., vol. 47, no. 7, 1986, pages 1638-1642, XP001024475 XX, XX ISSN: 0002-9645 page 1639, column 1, paragraph 3 page 1639, column 1; table 1	1,2,5, 13-16,18
Y	GB 2 232 573 A (CANADA PACKERS INC) 19 December 1990 (1990-12-19) example 6 claims 1-4,6,9,11-14	6

Further documents are listed in the continuation of box C.	Y Patent family members are listed in annex.
"A" document defining the general state of the art which is not considered to be of particular relevance  "E" earlier document but published on or after the international filing date  "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)  "O" document referring to an oral disclosure, use, exhibition or other means  "P" document published prior to the international filing date but later than the priority date claimed	<ul> <li>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</li> <li>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</li> <li>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combined with one or more other such documents, such combination being obvious to a person skilled in the art.</li> <li>"&amp;" document member of the same patent family</li> </ul>
Date of the actual completion of the international search	Date of mailing of the International search report
4 October 2001	17/10/2001
Name and mailing address of the ISA  European Patent Office, P.B. 5818 Patentlaan 2  NL - 2280 HV Rijswijk	Authorized officer
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Dekeirel, M

## INTERNATIONAL SEARCH REPORT

Into mai Application No PCT/GB 01/02760

		PCT/GB 01/02760			
	Minuation) DOCUMENTS CONSIDERED TO BE RELEVANT				
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.			
X	J. DECOMBAZ ET AL.: "Diet and food of sled dogs during a multi-stage race" PROCEEDINGS OF THE NUTRITION SOCIETY., vol. 57, no. 1, 1998, page 21A XP001024476 LONDON, GB ISSN: 0029-6651 the whole document	1,2,8, 11, 13-16,18			
X	K. RUSSELL ET AL.: "Influence of feeding regimen on body condition in the cat" JOURNAL OF SMALL ANIMAL PRACTICE., vol. 41, no. 1, 2000, pages 12-17, XP001024689 BLACKWELL SCIENTIFIC PUBLICATIONS, OXFORD., GB ISSN: 0022-4510 page 14, column 2, last paragraph -page 15, column 1, paragraph 2 page 15; table 6 page 16, column 2, last paragraph -page 17, column 1, paragraph 1	1,2,13-16,18			
A	DATABASE WPI Section Ch, Week 200036 Derwent Publications Ltd., London, GB; Class D13, AN 2000-415240 XP002179246 -& JP 2000 014326 A (WANWAN KK), 18 January 2000 (2000-01-18) abstract	1,13,14, 16,18			
A	DATABASE WPI Section Ch, Week 199922 Derwent Publications Ltd., London, GB; Class D13, AN 1999-257569 XP002179247 -& JP 11 075710 A (TAKASHIMA A), 23 March 1999 (1999-03-23) abstract	1,13,14, 16,18			
A	K.E. EARLE: "Feeding for health" JOURNAL OF SMALL ANIMAL PRACTICE., vol. 31, no. 10, 1990, pages 477-481, XP001024688 BLACKWELL SCIENTIFIC PUBLICATIONS, OXFORD., GB ISSN: 0022-4510 page 480, column 2, paragraph 2	1,2, 13-16,18			
P,A	US 6 156 355 A (BENNETT JEFFREY P ET AL) 5 December 2000 (2000-12-05) the whole document	1,13,14, 16,18			

## INTERNATIONAL SEARCH REPORT

Inta mal Application No
PCT/GB 01/02760

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
GB 2232573	Α	19-12-1990	US CA NO	4971820 A 1334259 A1 902446 A	20-11-1990 07-02-1995 03-12-1990
JP 2000014326	Α	18-01-2000	NONE		
JP 11075710	Α	23-03-1999	NONE		·
US 6156355	Α	05-12-2000	NONE		